# pragma's [DICOLLES

Issue #36

The free newspaper for Pick™users.

June 15, 1987

Pragma's Product Profiles is published periodically by Semaphore Corporation,

207 Granada Drive, tos, CA 95003, (408) 688-9200.

Entire contents copyright © 1987
by Semaphore Corporation. All rights reserved. No part
of this publication may be reproduced in any form or by
any means without prior written permission from
Semaphore. Semaphore offers no warranty, either
express or implied, for any losses due to the use of any
material published.

Subscriptions are free, but are available only to Pick users with USA mailing addresses.

All material received will be considered for publication.

Semaphore reserves the right to edit all submittals.

Semaphore cannot be responsible for lost issues or issues returned to us because of address changes.

Pick is a trademark of Pick Systems.

Semaphore Corp. is not affiliated with Pick Systems.

#### Pragma's Product Profiles is completely FREE!

Return this form to: Pragma • 207 Granada Drive • Aptos, CA 95003

Pragma's Product Profiles 207 Granada Drive Aptos, CA 95003

BULK RATE U.S. POSTAGE PAID APTOS, CA 95003 Permit No. 67

#### How to write your own screen editor

In the early days of electronic computing, text editors usually required the user to type a command to perform every operation. A single command might allow every occurrence of a word in a text file to be replaced by some other word, but another command would then be necessary to list the text and show the results of the replace operation. Because of the slow speed of Teletypes, IBM "golf ball" printers, dot matrix printers, and other terminals of that era, text editors tried to save time and paper by not generating any output unless requested by the user.

As the use of display terminals became widespread, text editors began to take advantage of those 24 rows and 80 columns. Now, good text editors constantly display the text being edited. Users can move a cursor around the screen, then delete, insert, or change text, and instantly see results without having to edit an "invisible" copy stored somewhere in the computer's memory.

Unfortunately, Pick's standard Edit processor is one of those old-fashioned "line" editors. Fortunately, it isn't too difficult to create a real display editor that makes up for the deficiencies in Edit. The SCREEN.EDIT program listed in this issue is an example of just such a display editor.

SCREEN.EDIT displays any item, 24 attributes at a time. By using the numeric pad, a user can move the cursor in any horizontal and vertical direction. The cursor automatically moves to previous or next lines after the start or end of a line, respectively. The screen automatically scrolls vertically, for items with more than 24 attibutes, and horizontally, for a cursor with the screen, so the cursor is always in view.

Typing T (for top) instantly displays an item's first 24 lines, while B displays the bottom 24. A minus sign causes the character under the cursor to be deleted. Deleting the invisible dage return (attribute mark) at the end of a line automatically concatenates the line with the line that follows. And typing I causes all subsequently typed characters to be inserted at the cursor's position, until the escape key is hit. Naturally, carriage returns (attribute marks) can also be inserted.

Typing G (for go to) causes a nifty "dialog box" to pop up on the screen, prompting for the line number the cursor should go to. Pop-up dialog boxes avoid the need to reserve space on the screen for prompts or status messages, and allow every position of the screen to be used for displaying editable text. A dialog box also appears after typing E, to verify the operator really wants to exit the item and leave it unchanged. The F command files an edited item back on disk.

Why is SCREEN.EDIT of interest? Because it shows how any program can be made completely cursor-driven when it

displays an existing piece of text or data (even if only one line) and prompts the operator for changes. When your application program prompts to change a date, should your users really be required to retype the whole line, just to change a digit in the middle? Wouldn't it be nice to just move the cursor to the offending character, and delete or replace it?

SCREEN.EDIT shows how it's possible to build a powerful editing capability, even though it's programmed in BASIC. Some programmers may want to extend SCREEN.EDIT by adding other important editing capabilities, and turn it into a custom editor with only the features they want. Some possible extensions: optional attribute number display, moving to the top or bottom of the current display page, moving to the previous or next word or display page, searching for text, deleting whole words and lines, replacing text by overwriting (instead of separate deleting and inserting steps), merging other items, handling tabs, "undoing" previous edits, changing the case of text, cut-copy-paste, verifying File commands, and other features popular in other text editors.

Some programmers might want to create a stripped-down, subroutine version of SCREEN.EDIT that could be called by any program to allow cursor-driven editing of any data field. In that case, SCREEN.EDIT would have to be told the co-ordinates where the field should be displayed, its width, and the maximum number of lines to show (which might be attributes, values, or subvalues). Formatted data entry capabilities such as validation masks and field justification might also be included.

SCREEN.EDIT is built around a large loop in lines 22 to 92. The loop inputs a command character at line 24, then tries a series of CASE tests to determine what function should be performed. Note that because a standard Pick INPUT statement is used, SCREEN.EDIT can't tell a backspace from a carriage return. Your version of Pick might allow a SYSTEM call or some other way to input a byte while avoiding standard Pick decoding, which prevents the detection of many control characters such as backspace, control-R, and so on.

Most of the logic in SCREEN.EDIT is concerned with the proper handling of a number of important variables: TEXT is the current attribute that contains the cursor and is therefore account for the attribute mark, LINE is the number of the current attribute, COLUMN is the column in TEXT that the cursor is positioned on, LEFT.MARGIN is the leftmost TEXT column shown on the display, RIGHT.MARGIN is the rightmost column, TOP is the number of the attribute at the top of the display, BOTTOM is the last attribute number displayed (which may not be on the terminal's bottom row after some text is deleted), LAST is the last attribute number in the text, and all text is stored in ITEM.

Most of the code in SCREEN.EDIT should be selfexplanatory to an experienced programmer. If you run into any problems while experimenting with SCREEN.EDIT, just give us a call, and we'll be happy to answer any questions you have.


# Does Your Mailing Label Say RENEW?

12399/35 RENEW MARSHA PICKUSER 555 MAPLE ST APTOS CA 95003

If so, your subscription is about to EXPIRE! To avoid missing your next free issue of *Product Profiles*, renew IMMEDIATELY by filling out and returning the front cover coupon for a *free* subscription!

The last two digits of your mailing label number indicate the number of the last issue you'll receive.

#### **ANNOUNCING!**



#### Picklab '87

Sponsored by the Northern California Pick Users, a non-profit organization.

### A ONE-DAY EVENT

Wednesday, September 16, 1987 Holiday Inn San Francisco International Airport

#### **Educational Program**



10 AM to 8 PM

Expert speakers presenting sessions for users at all levels.

#### **Exhibit Program**




Noon



Booths to browse.

- Software products
- Hardware products
- Consulting services

#### **Lab Program**



Compare different machines running the same collection of applications.

#### FOR MORE INFORMATION

Registration... Linda Gardner-King, 415-355-9630

Exhibits...
Denis Hill,
415-456-0868

Educational sessions... Annette Thuesen, 415-352-9663



REGISTER NOW!

I want to attend! Enclosed is \$20 for my all-day pass to all exhibits and educational sessions.

Name

Company

Address \_\_\_\_\_

City/State \_\_\_\_\_ ZIP \_\_\_\_

Mail to: NCPU, Box 884474, San Francisco, CA 94188-4474.

```
SCREEN . EDIT
 001 EQU bell TO CHAR(7) ;* ASCII code to ring terminal's bell
002 EQU box.height TO 6 ;* Height of dialog box for Goto, Exit
003 EQU escape TO CHAR(251) ;* ASCII code for escape to end insert
004 EQU indent TO 5 ;* Amount of indent because of line numbers
005 EQU false TO 0, true TO -1 ;* Booleans for logic tests
006 eos = @(-3) ; eol = @(-4) ;* Clr to end of screen, end of line
007 crt.width = SYSTEM(2) ;* Characters across, usually 79
008 crt.height = SYSTEM(3) ;* Vertical line count, usually 24
009 half.width = INT(crt.width/2) ;* Horiz. scroll amt, usually 39
010 half.height = INT(crt.height/2) ;* Vert. amt, usually 12
011 format = "R*": (indent-1) ;* R*4 attribute number format
012 text.width = crt.width - indent ;* Columns remaining for text
013 CRT "Edit what file": ; INPUT FILE
014 OPEN FILE ELSE STOP "No such file"
015 CRT "Edit what item in ":FILE: ; INPUT ID
016 PROMPT "" ; ECHO OFF ; READ ITEM FROM ID ELSE ITEM = ""
017 LAST = COUNT(ITEM, CHAR(254))+1
018 IF ITEM<LAST> = "" THEN LAST = LAST-1
019 IF LAST <= 0 THEN LAST = 1
020 CHANGED = false ;* No changes have occurred
021 GOSUB top ;* Display top of item
  004 EQU indent TO 5 ;* Amount of indent because of line numbers
   021 GOSUB top :* Display top of item
               GOSUB set.cursor ;* Show cursor at current edit point
   023
             INPUT COMMAND,1: ; COMMAND - OCONV(COMMAND, "MCU")
UNTIL COMMAND - "F" DO ;* Execute commands until user files
   024
               BEGIN CASE
   026
               CASE COMMAND = "" ;* Move to start of current or next line

IF COLUMN = 1 THEN GOSUB next.line ELSE GOSUB column.one

CASE COMMAND = "-" ;* Delete character at cursor

CHANGED = true ;* Remember editing has occurred

IF COLUMN = LENGTH THEN ;* Deleting an attribute mark
   027
   029
   030
                        TEXT = TEXT : ITEM<LINE+1> ; LENGTH = LEN(TEXT)+1
   032
                        ITEM<LINE> = TEXT ; DEL ITEM<LINE+1>
IF LINE # LAST THEN LAST = LAST-1 ELSE CRT bell:
   033
                        BOTTOM = LINE ; GOSUB paint.page.part
    035
                        END ELSE :* Delete character before end of line
TEXT = TEXT[1,COLUMN-1]:TEXT[COLUMN+1,LENGTH-COLUMN-1]
    036
                            LENGTH = LENGTH-1 ; GOSUB refresh.line
```

```
CASE COMMAND = "2"; GOSUB next.line; * Move cursor down
CASE COMMAND = "4"; * Move cursor left
041
       IF COLUMN > 1 THEN ;* Stay on current line
        COLUMN = COLUMN-1 ; GOSUB check.left.margin
        IF SHIFTED THEN GOSUB paint.page
        END ELSE ;* Go to previous line
045
         GOSUB prev.line
          IF MOVE OK THEN
047
          COLUMN = LENGTH ; GOSUB check.right.margin
           IF SHIFTED THEN GOSUB paint.page
050
      CASE (COMMAND="6") OR (COMMAND=""); GOSUB cursor.right
CASE COMMAND = "8"; GOSUB prev.line; * Move cursor up
CASE COMMAND = "B"; * Move to bottom of item
051
054
       LINE = LAST ; GOSUB set.text.length ; COLUMN = LENGTH
       GOSUB check.left.margin ; GOSUB check.right.margin
       TOP = LINE-crt.height+1 ; IF TOP < 1 THEN TOP = 1
057
      GOSUB paint.page
CASE COMMAND = "E" ;* Exit
       IF CHANGED THEN ;* Edits have occurred, ask permission
060
        QUESTION - "Item changed! Exit now? Y or N?"; GOSUB box
END ELSE ANSWER - "Y"; * Assume permission
        IF ANSWER - "Y" THEN GOSUB final.position ; STOP
      CASE COMMAND = "G" ;* Go to a line number
QUESTION = "Go to what line number?" ; GOSUB box
        ANSWER - ICONV (ANSWER, "MCN")
        IF ANSWER # "" THEN
        LINE - ANSWER; IF LINE < 1 THEN LINE - 1
IF LINE > LAST THEN LINE - LAST
         COLUMN = 1 ; GOSUB set.text.length
         TOP = LINE - half.height : IF TOP < 1 THEN TOP = 1
         GOSUB paint.page
       CASE COMMAND = "I" ;* Insert new text
        LOOP INPUT ICHAR, 1: UNTIL ICHAR - escape DO
         IF ICHAR # "" THEN :* Insert char in current line
          TEXT - TEXT[1, COLUMN-1]: ICHAR: TEXT[COLUMN, LENGTH-COLUMN]
```

# WE SPECIALIZE IN USED WE SPECIALIZE IN USED

#### Reality

128 MB Reflex II 50 MB Reflex I 128 K Mos Memory Intelligent 8-Ways Tape Drives Complete Systems

#### Sequel M9000

IMB Memory
ACLC
Disc Drives
Controllers
Complete Systems

#### BUY SELL TRADE

Call CHUCK HAAS
For Competitive Prices

[-800-634-USED

EASTCOMPII INC.

513-528-5400 IN OHIO Tired of waiting for your Pick computer to SORT or SELECT your large data files?

Need to quickly find any attribute? Want to scroll files up or down, in any sort order?

#### Now you can use B-TREE-P to instantly search, sort, and scroll any data from any Pick file!

Now you can instantly look up customers by name, street, Zip code, or any other field — not just by customer number. Now you can immediately find inventory entries by quantity, cost, or description — not just by part number. Whatever files you use, now you can instantly locate and display your data any way you want, without having to wait for endless SORTs and SELECTs.



Immediately display any record in any file just by typing one or more starting characters that match any field in the record.

You can display not only a selected record, but also any previous and ext records, using any sort order you specify.

You can jump to any record in a file at any time, then browse through the first by scrolling up or down, a record at a time, or a page at a time, in any sort order.

Ask us for a free copy of Product Profiles #24, describing how B-TREE-P was originally developed and put to work. As one of Semaphore's programmers says: "We often ask ourselves why we waited so long to create B-TREE-P. After using it for our own production work, we wonder how we ever got by before without it. A Pick computer without B-TREE-P is like a car without wheels".

B-TREE-P is a proven collection of BASIC subprograms for using B-trees on Pick computer systems. B-trees allow any of the data in any of your Pick files to be instantly located and displayed in any sort order, without having to wait for SORT or SELECT commands.

B-TREE-P and a few minor modifications to your existing data entry programs are all that is necessary for you to immediately be able to search, display, and browse through your data quickly and conveniently.

Modifications to your existing data files are absolutely unnecessary!



B-TREE-P includes all necessary BASIC source code for a B-tree system that works with any file:

- Insertion subroutine
- Deletion subroutine
- Lookup subroutine
- Previous/next subroutine
- Complete instructions

Plus, you receive the source code for a complete demonstration system that uses B-TREE-P to maintain a name and address file:

Editor program for creating and changing names and addresses. Browser program for displaying names and addresses.

Printer program for listing file items in order without having to wait for a sort.

#### Here's how to order:


Send your name, address, telephone number, and your check for \$395 payable to Semaphore Corporation to:

Semaphore Corporation 207 Granada Drive Aptos, CA 95003

We'll send you complete B-TREE-P source code listings and all necessary documentation.

Call us at (408) 688-9200!

WARNING: B-TREE-P includes a license agreement with copy, use, and transfer restrictions limiting your use of B-TREE-P to one computer at a time. Multi-CPU and OEM resale agreements are also available.



ONCE UPON A TIME, there lived a Pick<sup>TM</sup> computer user named Linda.

Every workday, from eight to five, Linda would sit in front of a terminal and type commands to make her computer produce reports. Sometimes the commands worked quickly and would make Linda's computer instantly display results. But usually Linda had to type a command that began with the dreaded words SORT or SELECT. Then the computer would take forever to process the command, and Linda would have to wait a long time before the computer could display the report.

Fortunately, Linda could stay busy while waiting for a RT, because that's when she would always get lots of phone calls from her coworkers, who wanted to know why the displays on their terminals were suddenly slowing down to a crawl.

As each day passed, Linda got more and more bored with her slow computer.

One day, something terrible happened. Linda had just finished waiting ninety minutes for a complicated SORT, and was paging through the report on her terminal. Suddenly, Linda accidentally hit the Return key, and page four of the report flashed by before she could read it. Linda would have to do the whole SORT over again just to see page four. Linda almost had a nervous breakdown.

Fortunately, Linda pulled herself together. But Linda was mad. She just wasn't going to put up with those slow SORTs and SELECTs anymore.

So Linda bought B-TREE-P.


Now Linda is very happy. She doesn't have to wait for her computer to SORT. Linda can instantly find and display any data she's looking for. Even scroll forward and backward through her files.

And the computer isn't sluggish anymore.

The moral of this story? Buy B-TREE-P. You'll be as happy as Linda.

B-TREE-P is a product of Semaphore Corp., (408) 688-9200.

```
LENGTH-LENGTH+1; GOSUB refresh.line; GOSUB cursor.right
        END ELSE ;* Insert carriage return (attribute mark)
079
         NEW. TEXT - TEXT [COLUMN, LENGTH-COLUMN]
081
         TEXT = TEXT[1,COLUMN-1] ; GOSUB refresh.line
082
          INS NEW. TEXT BEFORE ITEM<LINE+1> ; LAST = LAST+1
          IF LINE#BOTTOM THEN BOTTOM-LINE+1; GOSUB paint.page.part
         GOSUB column.one ; GOSUB next.line
084
085
         END
       GOSUB set.cursor ; CHANGED-true ;* Remember edits occurred
086
087
      REPEAT
088
      GOSUB refresh.line ;* Because escape clobbers it on tube
     CASE COMMAND - "T" ; GOSUB top ;* Move to top of item
089
     CASE 1 ; CRT bell: ;* Unrecognized command, complain
091
     END CASE
092 REPEAT
093 WRITE ITEM ON ID ; GOSUB final.position ; STOP
095 final.position: * Move cursor to bottom, echo on
096 CRT @(0,crt.height-1); ECHO ON; RETURN
098 top: * Display top of item
099 LEFT.MARGIN - 1; RIGHT.MARGIN - text.width
100 LINE - 1 ; COLUMN - 1 ; GOSUB set.text.length
101 TOP - 1 ; GOSUB paint.page
102 RETURN
104 set.cursor: * Show cursor at current edit position
105 CRT @(COLUMN+indent-LEFT.MARGIN, LINE-TOP): ; RETURN
107 set.text.length: * Set TEXT, LENGTH, COLUMN
108 TEXT - ITEM<LINE> ; LENGTH - LEN(TEXT)+1
109 IF COLUMN > LENGTH THEN ;* Cursor past end of line
110 COLUMN - LENGTH ; GOSUB check.left.margin
111 END ELSE SHIFTED - false
112 RETURN
113
114 paint.page: * Paint lines on tube starting from top
115 BOTTOM - TOP
116 paint.page.part: * Enter here if BOTTOM already set
118 CRT @ (0, BOTTOM-TOP) : BOTTOM format: ; GOSUB gap
119 CRT ITEM<BOTTOM>[LEFT.MARGIN, text.width]:eol:
120 UNTIL (BOTTOM - LAST) OR ((BOTTOM-TOP+1) - crt.height) DO
    BOTTOM - BOTTOM+1
122 REPEAT
123 CRT eos: ;* Clear to end of screen
124 RETURN
125
126 gap: * Indicate if left margin is > 1
127 IF LEFT. MARGIN > 1 THEN CRT "<": ELSE CRT " ":
128 RETURN
130 refresh.line: ITEM<LINE> - TEXT ;* Redisplay current line
131 CRT @(indent, LINE-TOP): TEXT[LEFT.MARGIN, text.width]:
132 RETURN
134 next.line: * Move cursor down to next line
```



#### COURSEWARE!!!

Now you can truly master the use of your Pick system with the finest computer-based training available from the leaders in tutorial software...

#### The Word Processor Electronic Tutorial

With this learning system you will quickly gain a "feel" for the word processor on your Pick system, while you master all of its fundamental and advanced uses. Available for JET, "The Works",

#### The CompuSheet+ Electronic Tutorial

Never before has it been this easy to learn the fundamental and advanced uses of this marvelous spreadsheet package. Learn right on the screen through many examples and exercises.

#### The PROF Electionic Tutorial for Pick

Enter the world of Pick with a complete electronic learning system. This wonderful package has been used by thousands of users to learn the fundamentals of the Pick database, TCL, EDITOR, ACCESS, PROC and Pick BASIC.

Each of these training products is a complete, computer-based, self-study teaching system that anyone can use over and over again. Each teaches you through simulated hands-on work sessions in which you actively participate. They are clever, entertaining, and all learning is done right on the terminal.

#### CRESCENDO Associates. Inc.

24350 Joy Road, Suite 9 Redford Township, Michigan 48239 (313) 537-1919

CompuSheet + is a trademark of Interactive Systems Prof is a trademark of Crescendo Associates, Inc. Pick is a trademark of Pick Systems, Irvine, CA

Yes! Please send mo	re info on:
Name	And the state of t
Company	The second with the second
Address	
City	State Zip
Phone	Computer

#### STRIDE/Z

Manufacturing software for Zebra computers

Stride/Z is a complete software package featuring regenerative MRP and the following integrated modules:

- · Order entry
- Shipping
- Engineering
- Purchasing
- · Receiving
- Quality assurance
- Customer service
- Production control
- Manufacturing floor
- Physical inventory
- Accounts payable
- Accounts receivable
- Payroll
- Cost accounting
- General ledger
- Personnel
- Fixed Assets
- Programming

Dealer inquiries welcome.

Semaphore Corporation 207 Granada Drive Aptos, CA 95003 (408) 688-9200

```
135 MOVE.OK - LINE < LAST
136 IF MOVE.OK THEN ;* There's a line below
     LINE - LINE+1 ; GOSUB set.text.length
138 IF SHIFTED THEN GOSUB paint.page
139 IF LINE > BOTTOM THEN :* Moved below end of screen
      CRT @(0,crt.height-1) ;* Force scroll
      CRT LINE format: ; GOSUB gap
CRT TEXT[LEFT.MARGIN,text.width]:eol:
      TOP - TOP+1 ; BOTTOM - BOTTOM+1
     END
145 END ELSE CRT bell: ;* No where to move
146 RETURN
148 column.one: * Force cursor to column one
149 COLUMN = 1 ; GOSUB check.left.margin
150 IF SHIFTED THEN GOSUB paint.page
151 RETURN
153 check.right.margin: * Shift display to right?
154 SHIFTED - COLUMN > RIGHT.MARGIN
155 IF SHIFTED THEN ;* Shift until cursor in view
156 LOOP
     LEFT.MARGIN - LEFT.MARGIN + half.width
158 RIGHT.MARGIN - RIGHT.MARGIN + half.width
159 UNTIL COLUMN <- RIGHT.MARGIN DO REPEAT
161 RETURN
162 *
163 check.left.margin: * Shift display to left?
164 SHIFTED - COLUMN < LEFT.MARGIN
165 IF SHIFTED THEN ;* Shift until cursor in view
166 LOOP
167 LEFT.MARGIN - LEFT.MARGIN - half.width
168
      RIGHT.MARGIN - RIGHT.MARGIN - half.width
169 UNTIL LEFT.MARGIN <- COLUMN DO REPEAT
171 RETURN
172 *
173 prev.line: * Move cursor up to previous line
174 MOVE.OK - LINE > 1
175 IF MOVE.OK THEN ;* There's a line above
176 LINE - LINE-1 ; GOSUB set.text.length
177 IF LINE < TOP THEN ;* Moved above top of screen
     TOP - LINE - half.height ; IF TOP < 1 THEN TOP - 1
      SHIFTED - true
     IF SHIFTED THEN GOSUB paint.page
     END ELSE CRT bell: ;* No where to move to
182
183 RETURN
185 cursor right; * Move cursor right one character
186 IF COLUMN < LENGTH THEN ; * Moving within current line
187 COLUMN - COLUMN+1 ; GOSUB check.right.margin
 188 IF SHIFTED THEN GOSUB paint.page
189 END ELSE ;* At end of line, go to next line
190 GOSUB next.line
191 IF MOVE.OK THEN
```

#### **FREE Back Issues**

A few back issues of Pragma's Product Profiles are still available while supplies last. To receive your FREE copies, indicate which issues you need and send a stamped, self-addressed envelope with \$2.40 postage to:

Pragma • 207 Granada Dr. • Aptos CA 95003

Issue #11: Open Architecture Status Report Issue #12: Impressions Of The Zebra 750 Issue #19: Pick Book A Disappointment Issue #21: Programming For Speed Issue #22: How Files Grow Issue #23: GA About To Release 3.2
Issue #24: Beyond Pick, Revisited Issue #26: How To Find Wasted Space

Issue #27: The Myth Of Separation=1 Issue #28: Is BASIC Faster Than Access?

Issue #29: How To Crunch Code

Issue #30: Semaphore Interviews Itself

Issue #32: This Month's Mailbag Issue #35: We Got A Phone Call ...



#### Experience an experienced computer system...and save!

If you are considering the purchase of an experienced computer system, call us. It can save you a pile of money.

We have a variety of systems available for quick delivery. We also stock disk drives, tape subsystems, memory communications controllers and anything else you might need.

We can provide you with useful information on manufacturers' product lines, policies and license fees. And, we will take your existing system in trade, but let you keep it during your conversion.

Microdata **Ultimate ADDS** 

General Automation

Pertec C. ITOH Pick<sup>™</sup> Systems

Fujitsu

and other Pick<sup>™</sup>-type systems

Also Printronix printers and others

CRTS — ADDS - Wyse - and others

Our technical staff is available to help you with any particular application.

New systems also available.

783 Old Hickory Blvd., Suite 255A

Brentwood, TN 37027

(615) 373-2570

CYLIELY IN YOUR SET / STREAM

Where someone else's experience saves you money!

#### **Data Processing** Manager/Programmer

An excellent opportunity requiring experience with the Pick operating system and Basic. Growing firm seeks a talented, responsible and professional individual to fill this full time position. Business administration ability desirable. Pay commensurate with ability to perform. Mail resume in confidence to: Director of Automation, Box 1167, Ann Arbor, MI, 48106.

**Semaphore Corporation welcomes** its newest B-TREE-P customers:

Vitek Systems Inc. M. Epstein Inc. **Partners National Health Plans** Lilyblad Petroleum

Buy, Sell, Trade In and Service

#### PICK SPECIALISTS

ADDS MENTOR **MICRODATA** GA ZEBRA CIE


ULTIMATE PRIME **PRINTRONIX** WYSE

- New and Used Systems
- Peripherals and Upgrades
- Immediate Delivery
- Savings up to 60%
- Repair and Refurb Services




```
COLUMN = 1 ; GOSUB check.left.margin
193
       IF SHIFTED THEN GOSUB paint.page
195
     END
196 RETURN
197 *
198 box: * Display a dialogue box
199 BOX.X - COLUMN+indent-LEFT.MARGIN ; BOX.Y - LINE-TOP+1
200 QLENGTH - LEN(QUESTION) ; BOX.WIDTH - QLENGTH+7
201 IF (BOX.X+BOX.WIDTH)>=crt.width THEN BOX.X=crt.width-BOX.WIDTH
202 IF (BOX.Y+box.height)>-crt.height THEN
BOX.Y=crt.height-box.height
203 CRT @(BOX.X,BOX.Y):"+":STR("-",BOX.WIDTH-2):"+":
204 FOR B - BOX.Y+1 TO BOX.Y+box.height-2
205 CRT @ (BOX.X,B):"|":SPACE (BOX.WIDTH-2):"|"
206 NEXT B
207 CRT @(BOX.X,BOX.Y+box.height-1):"+":STR("-",BOX.WIDTH-2):"+":
208 CRT @ (BOX.X+3, BOX.Y+2):QUESTION: ;ANSWER-""; ECHO ON; PROMPT
209 INPUT @ (BOX.X+3, BOX.Y+3): ANSWER, QLENGTH: _ ; ECHO OFF; PROMPT ""
210 FOR B = BOX.Y TO BOX.Y+box.height-1
211 HIDDEN.LINE - B+TOP
212 IF HIDDEN.LINE <- LAST THEN
213 REFRESH.TEXT = ITEM<HIDDEN.LINE>[LEFT.MARGIN,text.width]
      END ELSE REFRESH.TEXT -
    CRT @ (indent, B) : REFRESH. TEXT: eol:
216 NEXT B
217 RETURN
218
219 END
```

```
ANSWER 62* 63 66 66* 67 68 208* 209*
B 204* 205 210* 211 215
BOTTOM 35* 83 83* 115* 118 119 120 121 121* 139 143 143*
BOX.WIDTH 200* 201 203 205 207
BOX.X 199* 201 201* 203 205 207 208 209
BOX.Y 199* 202 202* 203 204 207 208 209 210
CHANGED 20* 30* 60 86*
COLUMN 28 31 37 42 43 43* 48* 55* 70* 77 80 81 100* 105 109 110* 149* 154 159 164 169 186 187 187* 192* 199
COMMAND 24* 25 27 29 40 41 52 53 54 59 64 74 89
FILE 13* 14 15
HIDDEN.LINE 211* 212 213
ICHAR 75* 76 77
ID 15* 16 93
ITEM 16* 17 18 32 33 33* 33* 82 82* 93 108 119 130 :
LAST 17* 18 18* 19 19* 34 34* 55 69 82 82* 120 135 212
LEFT.MARGIN 99* 105 119 127 131 142 157 157* 164 167 167*
169 199 213
LENGTH 31 32* 37 38 38* 48 55 77 78 78* 80 108* 109
LINE 32 33 34 35 55* 57 68* 69 69* 71 82 83 100* 105 108 130 131 135 137 137* 139 141 174 176 176* 177 178 199
MOVE.OK 47 135* 136 174* 175 191
NEW.TEXT 80* 82
QLENGTH 200* 209
QUESTION 61* 65* 200 208
REFRESH.TEXT 213* 214* 215
RIGHT.MARGIN 99* 154 158 158* 159 168 168*
SHIFTED 44 49 111* 138 150 154* 155 164* 165 179* 181 188
TEXT 32 32* 33 37 37* 77 77* 80 81 81* 108* 130 131 142
TOP 57* 71* 101* 105 115 118 120 131 143 143* 177 178* 199
bell 1 34 90 145 182
box 61 65 198*
box.height 2 202 204 207 210
check.left.margin 43 56 110 149 163* 192
check.right.margin 48 56 153* 187
column.one 28 84 148*
crt.height 8* 10 57 96 120 140 202 crt.width 7* 9 12 201
cursor.right 52 78 185*
eol 6* 119 131 142 215
eos 6* 123
escape 3 75
false 5 20 111
final.position 63 93 95*
format 11* 118 141
gap 118 126* 141
half.height 10* 71 178
half.width 9* 157 158 167 168 indent 4 11 12 105 131 199 215 next.line 28 40 84 134* 190
paint.page 44 49 58 72 101 114* 138 150 181 188 193
paint.page.part 35 83 116*
prev.line 46 53 173*
refresh.line 38 78 81 88 130*
set.cursor 23 86 104*
set.text.length 55 70 100 107* 137 176
text.width 12* 99 119 131 142 213
top 21 89 98*
true 5 30 86 179
```



## New B-TREE-P installations are sprouting up every day!



Join the growing number of sites that are discovering the power and flexibility of B-TREE-P:

Long Beach Community Services • Halprin Supply Co. • Casualty Underwriters Inc. • University of California • Distributed Logic Corp. • Jet Electronics & Technology Inc. • NCAR • Trudell Trailer Sales Inc. • Stewart Co. • Computyme • Data Operating Systems Inc. • Tel-A-Train Inc. • Information Technology Consultants • Life & Health Insurance Co. of America • Flynt Systems Corp. • System Works Inc. • Miami Trading Enterprises • Generation Research • Multisystems Inc. • Infocel • Cooke Data Systems Inc. • John Klein & Assoc. Inc. • Condominium Insurance • Penn Independent Assoc. Inc. • Mark Card • Chandler Lumber Co. • Eye Care & Surgery Center • Chicago Kenworth • Wofford College • Conston Inc. • Assertive Systems • Office Works • Cornell University • City of Irvine • Excalibur Computer Systems Inc. • ADDS Inc. • Specs Music • Specialty Underwriters Inc. • Shoob Photography • May Trucking • Sierra Software Inc. • Medical Accounting Systems • AIPAC • NORPAC • Martin Cadillac Co. Inc. • Capital Software Ltd. • Oman Publishing • Reinsurance Assoc. • Hubert Distributing Co. • Livermore Police Dept. • Creative Computer Services • Berelson Co. • Minnesota Trade Office • XScribe Corp. • Glastron-Conroy Ltd. • Opportunities Unlimited • Topsy's International Inc. • ACS Systems Inc. • Bronson & Bratton Inc. • Access Software Inc. • Pactel Paging • United Collection Bureau Inc. • Laub Group Inc. • Associated Students UCLA • Brooks Equipment Co. Inc. • Anthony Pools • Samuelson Assoc. Co. • Educators Mutual Insurance • Magic Chef Air Conditioning Co. • Crosstern Corp. • Spectradyne Inc. • Tampa Bay Mgmt. Services Inc. • Northwest Agricultural Coop Assoc. • Century Publishing Co. • J & L Industrial Supply Co. Inc.

B-TREE-P is software that allows your data to be instantly located and output, without having to wait for lengthy file sorts or searches.

Write or call Semaphore Corporation, 207 Granada Drive, Aptos, CA 95003, (408) 688-9200.